

myers
INDUSTRIES

Patch Rubber
Company

Kwik PATCH

Tire Repairs, Tube Repairs and Accessories

**Leading Manufacturer of Repair Materials, Gloves
and Heavy Textile Products**

Kwik PATCH provides innovative retread and repair materials, gloves and heavy textile products. With over 30 years of manufacturing experience, we have the highest quality standards for our range of products.

About us

With a global footprint in over 65+ countries, **Kwik PATCH** strives to bring cutting-edge products to its customers. Bolstered by the TVS family's strong patronage, **Kwik PATCH** provides value through quality, reliability and integrity.

The company is a leading manufacturer of Retread and Repair Materials, Gloves and Heavy Textile Products, all produced in compliance with the highest regulatory certifications.



Contact



Call

044 22501202



Website

www.kwikpatch.com



Mail

sales@kwikpatch.com



LinkedIn

Kwik Patch Private Ltd.



Table of Contents

01	Introduction & History	03
02	Repair Materials Division	
I	Tire and Tube Repairs	04
II	Conveyor Belt Repairs	05
III	OTR and Earthmover Tire Repairs	07
IV	Tire Patches	10
V	Universal Patches and Tube Patches	17
VI	Tubeless Tire Repairs	23
VII	Cements and Mounting Paste	27
VIII	Gums, Rope Rubber and Cord Fabric	31
IX	O Rings and L Rings	32
X	Truck Valve Patches	32
XI	Workhard Gloves	33
XII	Accessories	34

Introduction & History

Who we are

Established in 1987, **Kwik PATCH** is a joint venture between **myers** Industries and the members of the TVS family. Today, it's spearheaded by Mr. Srinath Rajam of the internationally renowned USD 1.75 Bn. **TVS MOBILITY** Group. **Kwik PATCH** began their journey by focusing on retread and repair materials for tire and tube products. In 1994, they forayed into manufacturing gloves and later in 2020, into heavy textile products.

With a wide range of products encompassing the entire spectrum of repairs ranging from a bicycle to large earthmovers and conveyor belts, **Kwik PATCH** is the manufacturer trusted by the most reputed brands worldwide in providing custom-made quality products. Its accreditations range from being ISO 9001:2015, REACH certified, to WRAP GOLD certified. These certifications acknowledge **Kwik PATCH**'s international standard for quality management and ethical manufacturing processes.


Vision and Mission

Kwik PATCH's vision is to become a world-class manufacturing unit for a wide range of products that are superior in design and function.

Our mission includes the endeavor to partner with renowned companies and delight them by offering exclusive and technologically backed competitive products at affordable prices.

Technology backed and system driven

Holistic and harmonious application of 5S System, JIT, Smart Factory Concept, Gemba Walk, Kaizen Techniques, Quality Management Systems, etc., have made it a leading manufacturer.



Repair Materials Division

TIRE AND TUBE REPAIRS

Kwik PATCH is today the world's first choice manufacturer for all products related to quality tire repair. With a wide range of products encompassing the entire spectrum of repairs for every tire and tube ranging from a bicycle to large earthmovers and conveyor belts, **Kwik PATCH** is the manufacturer trusted by most reputed brands worldwide in providing custom made quality products which help them to retain their leadership position in their marketplace.


With four ultra-modern factories with an emphasis on quality and reliability, backed by more than 30 years of experience, **Kwik PATCH** is the first name that comes to every mind when thinking of increasing tire life.



CONVEYOR BELT REPAIRS

Conveyor belts are used in industrial applications, warehousing, farms and anywhere there needs to be movement of raw materials. With time the conveyor belts develop cracks and holes; the holes can be fixed using our conveyor belt repair patches.

Conveyors belts come in many shapes and sizes; irrespective of the sizes, our repair patches can be used to fix these belts on the pulley side, carry side and belt edge.



PLC – RECTANGULAR PATCHES FOR USE ON CARRYING SIDE

Sl.No.	Product	Size in mm
1	PLC 4-25	55 x 260
2	PLC 4-50	55 x 510
3	PLC 10-25	105 x 260
4	PLC 10-50	105 x 510
5	PLC 10-80	105 x 815
6	PLC 10-110	105 x 1100
7	PLC 15-75	155 x 765
8	PLC 15-110	155 x 1100
9	PLC 22-75	230 x 765
10	PLC 40-75	410 x 765
11	PLC 50-75	510 x 765
12	PLC 20-30	220 x 320

NPL –PLY REINFORCED RECTANGULAR PATCHES PULLEY SIDE

Sl.No.	Product	Size in mm	Ply
1	NPL 4-25	55 x 260	1
2	NPL 4-50	55 x 510	1
3	NPL 10-25	105 x 260	1
4	NPL 10-50	105 x 510	1
5	NPL 10-80	105 x 815	1
6	NPL 10-110	105 x 1100	1
7	NPL 15-75	155 x 765	2
8	NPL 15-110	155 x 1100	2
9	NPL 22-75	230 x 765	1

DIAMOND PATCH – COVER PATCH FOR CARRYING SIDE

Sl.No.	Product	Size in mm
1	Diamond Patch 5	110 x 135
2	Diamond Patch 10	190 x 245
3	Diamond Patch 15	270 x 345
4	Diamond Patch 20	370 x 480



NYLON REINFORCED PATCH FOR PULLEY SIDE

Sl.No.	Product	Size in mm
1	NDP 5	110 x 135
2	NDP 10	190 x 245
3	NDP 15	270 x 345
4	NDP 20	370 x 480



REINFORCED PATCHES

Sl.No.	Product	Size in mm
1	RP 3	80 x 80
2	RP 6	135 x 135
3	RP 8	205 x 205
4	RP 12	300 x 300
5	RP 16	380 x 380



Note : Quantity as per order

OTR AND EARTHMOVER TIRE REPAIRS

Kwik PATCH is a leading earthmover / OTR tire repair patch supplier with the highest range of repair sizes. The patches are designed to ensure that OTR tires are always in operable condition. It is available for Bias and Radial OTR tires. These can be used for self-cure and heat vulcanizing applications.

OTR and earthmover patches are also available with ARAMID reinforcement for additional strength in the same sizes as below.



BIAS OTR PATCHES

Sl.No.	Product	Size in mm	Ply	Units/box
1	OTR 0	217 x 220	2	10
2	OTR 1	259 x 283	4	5
3	OTR 2	295 x 335	4	5
4	OTR 3	346 x 354	6	5
5	OTR 3.5	452 x 464	6	2
6	OTR 4	510 x 530	8	2
7	OTR 5	568 x 590	8	2
8	OTR 6	587 x 600	8	2
9	OTR 7	617 x 654	10	2
10	OTR 8	714 x 731	10	2
11	OTR 9	741 x 750	12	2
12	OTR 10	770 x 778	14	2



BIAS OTR SIDEWALL PATCHES

Sl. No.	Product	Size in mm	Ply	Units/ box
1	CSOTR 1	195 x 263	4	5
2	CSOTR 2	240 x 320	4	5
3	CSOTR 3	285 x 358	6	5
4	CSOTR 3.5	343 x 430	6	2
5	CSOTR 4	390 x 487	6	2
6	CSOTR 5	458 x 567	8	2
7	CSOTR 6	490 x 622	8	2
8	CSOTR 7	518 x 650	10	2
9	CSOTR 8	545 x 680	10	2

OTR AND EARTHMOVER MCX LARGE SIZE RADIAL

Sl. No.	Product	Size in mm	Ply	Units/ box
1	MCX 46	145 x 405	4	5
2	MCX 50	196 x 558	4	5
3	MCX 52	258 x 577	4	5
4	MCX 56	266 x 735	5	5
5	MCX 60	265 x 1015	5	5
6	MCX 55	255 x 322	5	5
7	MCX 65	329 x 414	6	5
8	MCX 68	349 x 755	7	5
9	MCX 80	140 x 204	2	5
10	MCX 82	190 x 269	2	5
11	MCX 84	218 x 288	3	5
12	MCX 86	248 x 345	3	5
13	MCX 54	250 x 570	5	5
14	MCX 75	449 x 527	8	5

RADIAL OTR PATCHES

Sl. No.	Product	Size in mm	Ply	Units/ box
1	CX 4	168 x 245	4	5
2	CX 5	195 x 305	5	5
3	CX 6	241 x 394	5	2
4	CX 7	267 x 445	6	2
5	CX 8	302 x 495	6	2
6	CX 10	240 x 750	6	5
7	CX 13	345 x 675	9	5
8	CX 14	400 x 755	9	5
9	CX 15	450 x 500	10	5
10	CX 16	455 x 760	10	5
11	CX 17	455 x 860	10	5
12	CX 18	515 x 580	10	2
13	CX 40	114 x 505	4	5
14	CX 50	125 x 505	5	5
15	CX 60	200 x 600	5	2
16	CX 80	240 x 675	6	2
17	CX 100	270 x 780	6	2
18	CX 120	295 x 905	6	1



BIAS PATCHES

KWIK DUAL CURE OTR TIRE PATCHES

Sl.No.	Product	Size in mm	Ply	Units/box
1	OTR 0	213 x 216	2	10
2	OTR 1	255 x 280	4	5
3	OTR 2	290 x 330	4	5
4	OTR 3	340 x 350	6	5
5	OTR 3.5	448 x 460	6	2
6	OTR 4	505 x 527	8	2
7	OTR 5	565 x 587	8	2
8	OTR 6	595 x 620	8	2
9	OTR 7	620 x 655	10	2
10	OTR 8	710 x 725	10	2
11	OTR 9	740 x 750	12	2
12	OTR 10	770 x 776	14	2



OTR AND EARTHMOVER MSX LARGE SIZE RADIAL

Sl. No.	Product	Size in mm	Ply	Units/box
1	MSX 46	148 x 409	4	5
2	MSX 50	201 x 565	4	5
3	MSX 52	261 x 582	4	5
4	MSX 55	251 x 322	5	5
5	MSX 56	268 x 738	5	5
6	MSX 60	265 x 1019	5	5
7	MSX 65	328 x 418	6	5

Sl. No.	Product	Size in mm	Ply	Units/box
8	MSX 68	350 x 760	7	5
9	MSX 75	450 x 530	5	5
10	MSX 80	147 x 211	2	5
11	MSX 82	198 x 275	2	5
12	MSX 84	223 x 294	3	5
13	MSX 86	235 x 330	3	5

TIRE PATCHES



Tire retread and repair patches are useful for durable repairs both for bias and radial tires. These patches can be used for self-cure and heat vulcanizing applications.

CHEMBLUE

The Chemblue range of patches are a truly next-generation range of patches that have been developed in association with Patch Rubber Company, USA. With a revolutionary new construction design and a specially developed blue gum, these patches have a high degree of flexibility and high adhesion levels. These patches are best used with Kwik HD Blue Cement or Patch Rubber HD Blue Chemical Cement.

CHEMBLUE RADIAL RANGE

Sl. No.	Product	Size in mm	Ply	Units/ box
1	CHEMBLUE 10	55 x 75	1	20
2	CHEMBLUE 12	68 x 121	1	10
3	CHEMBLUE 14	86 x 136	1	10
4	CHEMBLUE 15	75 x 90	1	20
5	CHEMBLUE 16	63 x 104	1	10
6	CHEMBLUE 20	86 x 136	2	10
7	CHEMBLUE 22	75 x 174	2	10
8	CHEMBLUE 25	111 x 123	3	10
9	CHEMBLUE 35	124 x 175	4	5
10	CHEMBLUE 40	106 x 196	3	5
11	CHEMBLUE 42	125 x 255	3	5
12	CHEMBLUE 44	128 x 340	3	5
13	CHEMBLUE 45	174 x 225	4	5
14	CHEMBLUE 46	161 x 421	4	5
15	CHEMBLUE 50	196 x 501	4	5
16	CHEMBLUE 52	241 x 561	4	5
17	CHEMBLUE 55	323 x 257	5	5
18	CHEMBLUE 56	263 x 733	5	5
19	CHEMBLUE 80	136 x 200	2	5




CHEMBLUE BIAS RANGE

Sl. No.	Product	Size in mm	Ply	Units/ box
1	CHEMBLUE 1	75	1	20
2	CHEMBLUE 1	60	1	20
3	CHEMBLUE 2	80	2	25
4	CHEMBLUE 3	118	2	25
5	CHEMBLUE 4	160	4	10
6	CHEMBLUE 5	185	4	5
7	CHEMBLUE 6	265	6	5
8	CHEMBLUE 7	312	6	5
9	CHEMBLUE 8	361	6	5
10	CHEMBLUE 9	383	8	5
11	CHEMBLUE 10	463	8	5

UNIVERSAL PATCHES

Sl.No.	Product	Size in mm	Ply	Units/box
1	CHEMBLUE UP 1	50 x 50	No Ply	100
2	CHEMBLUE UP 2	55 x 55	No Ply	50
3	CHEMBLUE UP 3	65 x 65	No Ply	50




BALANCING PADS FOR
AIRCRAFT TIRES AVAILABLE
FROM 5 GMS TO 150 GMS



KWIK CHEMICAL SIDEWALL TIRE PATCHES

Sl.No.	Product	Size in mm	Ply	Units/box
1	CS 42	92 x 112	2	25
2	CS 64	127 x 146	4	10
3	CS 84	179 x 237	4	10
4	CS 104	212 x 292	4	05
5	CS 126	240 x 322	6	05
6	CS 156	340 x 455	6	05



KWIK CHEMICAL BIAS TIRE PATCHES



Note

Cushion color available in

Blue Black Orange Green


Poly color available in

Yellow Blue Orange White

Sl. No.	Product	Size in mm	Ply	Units/ box
1	C O	30	1	20
2	C 1	40	1	20
3	C KHD 1 / C 2	60	1	20
4	C KHD 2 / C 32	80	2	25
5	C KHD 3 / C 42	115	2	25
6	C 52	141	2	10
7	C KHD 4 / C 64	158	4	10
8	C KHD 5 / C 74	182	4	10
9	C 84	195	4	10

Sl. No.	Product	Size in mm	Ply	Units/ box
10	C KHD 5.5 / C 86	208	6	10
11	C KHD 6 / C 106	260	6	5
12	C KHD 7 / C 126	309	6	5
13	C KHD 8 / C 146	358	6	5
14	C KHD 8.5 / C 148	358	8	5
15	C KHD 9 / C 156	380	6	5
16	C KHD 9.5 / C 158	380	8	5
17	C KHD 10 / C 178	461	8	5

KWIK CHEMICAL RADIAL TIRE PATCHES FOR PASSENGER / TRUCK/ FARM




Sl.No.	Product	Size in mm	Ply	Cushion color	Back poly color	Units/box
1	MCX 10	50 x 70	1	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	20
2	MCX 12	60 x 101	1	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	10
3	MCX 14	70 x 125	1	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	10
4	MCX 15	75 x 90	1	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	10
5	MCX 20	76 x 102	2	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	10
6	MCX 22	74 x 154	2	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	10

Sl.No.	Product	Size in mm	Ply	Cushion color	Back poly color	Units/box
7	MCX 24	72 x 212	2	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	10
8	MCX 25	108 x 120	3	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	10
9	MCX 26	82 x 260	3	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	10
10	MCX 28	70 x 320	3	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	5
11	MCX 35	121 x 172	4	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	5
12	MCX 40	103 x 193	3	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	5
13	MCX 42	122 x 252	3	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	5
14	MCX 44	125 x 337	3	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	5
15	MCX 45	171 x 222	4	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	<div>Yellow</div> <div>Blue</div> <div>Orange</div> <div>White</div>	5





BIAS PATCHES

DUAL CURE BIAS TIRE PATCHES



Sl.No.	Product	Size in mm	Ply	Cushion color	Back poly color	Units/box
1	Kwik 1	75	1	Gray Black	Blue Red	20
2	Kwik 2	89	2	Gray Black	Blue Red	25
3	Kwik 3	108 x 108	2	Gray Black	Blue Red	25
4	Kwik 4	161 x 161	4	Gray Black	Blue Red	10
5	Kwik 5	188 x 188	4	Gray Black	Blue Red	10
6	Kwik 6	262 x 262	6	Gray Black	Blue Red	5
7	Kwik 7	311 x 311	6	Gray Black	Blue Red	5
8	Kwik 8	363 x 363	6	Gray Black	Blue Red	5
9	Kwik 9	384 x 384	8	Gray Black	Blue Red	5
10	Kwik 10	448 x 448	8	Gray Black	Blue Red	5

KWIK DUAL CURE RADIAL TIRE PATCHES FOR PASSENGER / TRUCK/ FARM




Sl.No.	Product	Size in mm	Ply	Cushion color	Back poly color	Units/box
1	MSX 10	55 x 75	1	Gray Black	Blue Red	10
2	MSX 12	66 x 110	1	Gray Black	Blue Red	10
3	MSX 14	80 x 137	1	Gray Black	Blue Red	10
4	MSX 15	75 x 91	1	Gray Black	Blue Red	10
5	MSX 16	63 x 108	1	Gray Black	Blue Red	10
6	MSX 20	72 x 117	2	Gray Black	Blue Red	10
7	MSX 22	80 x 160	2	Gray Black	Blue Red	10
8	MSX 24	78 x 220	2	Gray Black	Blue Red	10
9	MSX 25	116 x 136	3	Gray Black	Blue Red	10
10	MSX 26	85 x 270	3	Gray Black	Blue Red	10
11	MSX 28	74 x 333	3	Gray Black	Blue Red	5
12	MSX33	100 x 130	2	Gray Black	Blue Red	10
13	MSX 35	122 x 175	4	Gray Black	Blue Red	5
14	MSX 40	110 x 200	3	Gray Black	Blue Red	5
15	MSX 42	126 x 260	3	Gray Black	Blue Red	5
16	MSX 44	135 x 346	3	Gray Black	Blue Red	5
17	MSX 45	175 x 226	4	Gray Black	Blue Red	5

UNIVERSAL PATCHES

Universal patches are used for small nail hole injuries to radial or bias tires, preferably in crown areas. These can be used for self-cure and heat vulcanizing applications.

Sl.No.	Product	Curing Dimensions in mm	Cushion color	Units/box
Round patches				
1	UP 3	35	<div>Black</div> <div>Blue</div> <div>Green</div>	100
2	UP 4	43	<div>Black</div> <div>Blue</div> <div>Green</div>	100
Square patches				
3	UP 4.5	47	<div>Black</div> <div>Blue</div> <div>Green</div> <div>Orange</div>	30
4	UP 6	60	<div>Black</div> <div>Blue</div> <div>Green</div> <div>Orange</div>	25
5	UP 8	66	<div>Black</div> <div>Blue</div> <div>Green</div> <div>Orange</div>	25



VERSA UNIVERSAL PATCHES

Sl.No.	Product	Curing Dimensions in mm	Cushion color	Units/box
1	UP 1	48	<div>Black</div> <div>Grey</div>	100
2	UP 2	54	<div>Black</div> <div>Grey</div>	50
3	UP 3	68	<div>Black</div> <div>Grey</div>	50



TUBE PATCHES

CHEMICAL ROUND TUBE PATCHES



Sl.No.	Product	Curing Dimensions in mm	Cushion color	Units/box
1	CCP	24	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	150
2	B1	27	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	100
3	PP0	33	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	50
4	PP1	39	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	50
5	PP2	48	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	25
6	PP3	58	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	25
7	PP4	75	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	25
8	PP5	95	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	10
9	PP6	116	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	10

CHEMICAL OVAL TUBE PATCHES



Sl.No.	Product	Curing Dimensions in mm	Cushion color	Units/box
1	B0	30 x 45	<div style="display: flex; flex-direction: column; gap: 5px;"> <div> Blue</div> <div> Black</div> <div> Orange</div> <div> Green</div> </div>	50
2	B2	42 x 64	<div style="display: flex; flex-direction: column; gap: 5px;"> <div> Blue</div> <div> Black</div> <div> Orange</div> <div> Green</div> </div>	50
3	PP7	37 x 74	<div style="display: flex; flex-direction: column; gap: 5px;"> <div> Blue</div> <div> Black</div> <div> Orange</div> <div> Green</div> </div>	25
4	PP8	47 x 102	<div style="display: flex; flex-direction: column; gap: 5px;"> <div> Blue</div> <div> Black</div> <div> Orange</div> <div> Green</div> </div>	25
5	PP9	76 x 160	<div style="display: flex; flex-direction: column; gap: 5px;"> <div> Blue</div> <div> Black</div> <div> Orange</div> <div> Green</div> </div>	10
6	PP10	96 x 190	<div style="display: flex; flex-direction: column; gap: 5px;"> <div> Blue</div> <div> Black</div> <div> Orange</div> <div> Green</div> </div>	10
7	PP11	55 x 255	<div style="display: flex; flex-direction: column; gap: 5px;"> <div> Blue</div> <div> Black</div> <div> Orange</div> <div> Green</div> </div>	10
8	PP12	143 x 255	<div style="display: flex; flex-direction: column; gap: 5px;"> <div> Blue</div> <div> Black</div> <div> Orange</div> <div> Green</div> </div>	10

STAR PATCHES



Sl.No.	Product	Curing Dimensions in mm	Cushion color	Units/box
1	PP1	39	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	30
2	PP2	48	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	30
3	PP3	58	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	30
4	PP4	75	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	30
5	PP5	95	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	10
6	PP6	116	<div>Blue</div> <div>Black</div> <div>Orange</div> <div>Green</div>	10

STAR OVAL PATCHES



Sl.No.	Product	Curing Dimensions in mm	Cushion color	Units/box
1	PP7	37 X 74	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="width: 10px; height: 10px; background-color: blue; margin-bottom: 2px;"></div>Blue <div style="width: 10px; height: 10px; background-color: black; margin-bottom: 2px;"></div>Black <div style="width: 10px; height: 10px; background-color: orange; margin-bottom: 2px;"></div>Orange <div style="width: 10px; height: 10px; background-color: green; margin-bottom: 2px;"></div>Green </div>	25
2	PP8	47 X 102	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="width: 10px; height: 10px; background-color: blue; margin-bottom: 2px;"></div>Blue <div style="width: 10px; height: 10px; background-color: black; margin-bottom: 2px;"></div>Black <div style="width: 10px; height: 10px; background-color: orange; margin-bottom: 2px;"></div>Orange <div style="width: 10px; height: 10px; background-color: green; margin-bottom: 2px;"></div>Green </div>	25
3	PP9	76 X 160	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="width: 10px; height: 10px; background-color: blue; margin-bottom: 2px;"></div>Blue <div style="width: 10px; height: 10px; background-color: black; margin-bottom: 2px;"></div>Black <div style="width: 10px; height: 10px; background-color: orange; margin-bottom: 2px;"></div>Orange <div style="width: 10px; height: 10px; background-color: green; margin-bottom: 2px;"></div>Green </div>	10
4	PP10	96 X 190	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="width: 10px; height: 10px; background-color: blue; margin-bottom: 2px;"></div>Blue <div style="width: 10px; height: 10px; background-color: black; margin-bottom: 2px;"></div>Black <div style="width: 10px; height: 10px; background-color: orange; margin-bottom: 2px;"></div>Orange <div style="width: 10px; height: 10px; background-color: green; margin-bottom: 2px;"></div>Green </div>	10

ENVELOPE PATCHES

Sl.No.	Product	Dimension in mm	Unit /box
1	EVPR-01	38	50
2	EVPR-02	48	25
3	EVPR-03	58	25
4	EVPR-04	75	25
5	EVPO-01	40 x 63	50
6	EVPO-02	47 x 102	25
7	ENVELOPE REPAIR CEMENT	100 ML	25



Oval



Round



THERMO PRESS PATCH

Sl.No.	Product	Dimension in mm	Unit /box
1	HP-01	37	100
2	HP-02	47	50
3	HP-03	68 x 54	50



TUBELESS TIRE REPAIR PATCHES

Strings

can be used to fix punctures without removing the tire from the rim. Kindly follow the local rules while using these seals. It is advisable to get the tire checked at the nearest service point as strings are used for on road emergency and not a permanent solution.

Plug Stems

are used to fill injuries in the puncture channel, in conjunction with a patch. Plug Stems will prevent further damage to the tire due to dirt, dust or moisture by blocking the injury channel.

Monofilis

are compound-based tire seals very much like strings, when applied externally fuse with the tire to seal the injury. Kindly follow the local rules while using monofilis.

Pilot Wire Patch Plugs - PWPP

This is a combined patch that seals the puncture channel and the internal injury in one unit. These PWPP's are self-vulcanizing. This prevents future damage to the tire casing or belt area due to dust or moisture. Available also as Kwik Seal for large punctures and as a quill patch with a metal stem.

KWIK TUBELESS TIRE REPAIRS

Sl.No.	Product	Unit /box
Pilot Wire Patch Plugs – Dipped		
1	1/8 " PWPP - 3 mm	20
2	3/16" PWPP - 4.5 mm	20
3	1/4 " PWPP - 6 mm	20
4	5/16" PWPP - 8 mm	20
5	3/8 " PWPP - 10 mm	20
6	1/2 " PWPP - 12 mm	20




Sl.No.	Product	Unit /box
Pilot Wire Patch Plugs with Cushion		
1	1/8" - 3 mm	20
2	3/16" - 4.5 mm	20
3	1/4" - 6 mm	20
4	5/16" - 8 mm	20
5	3/8" - 10 mm	20
6	1/2" - 12 mm	20



Sl.No.	Product	Unit /box
Plug Stems without wire		
1	1/4" - 6 mm Plug Stem	50
2	3/8" - 10 mm Plug Stem	50
3	1/2" - 12 mm Plug Stem	25
4	5/8" -16 mm Plug Stem	20
5	1" - 25 mm Plug Stem	20
6	1 1/4" - 30 mm Plug Stem	10



Sl.No.	Product	Unit /box
Plug Stems with wire		
1	1/8" - 3 mm Plug Stem Wire	50
2	3/16" - 4.5 mm Plug Stem Wire	50
3	1/4" - 6 mm Plug Stem Wire	50
4	5/16" - 8 mm Plug Stem Wire	50
5	3/8" - 10 mm Plug Stem Wire	50
6	1/2" - 12 mm Plug Stem Wire	50
7	5/8" - 16 mm Plug Stem Wire	50



Sl.No.	Product	Unit /box
Kwik Seal with ply and plug wire		
1	6 mm	30 Nos
2	8 mm	30 Nos
3	10 mm	20 Nos
4	12.5 mm	20 Nos
5	15 mm	10 Nos



Sl.No.	Product	Unit /box
Kwik Seal with Ply without wire		
1	6 mm	20 Nos
2	8 mm	20 Nos
3	10 mm	20 Nos
4	12.5 mm	20 Nos
5	15 mm	20 Nos




Sl.No.	Product	Unit /box
Chemical Quill Patch		
1	3 mm	20 Nos
2	4.5 mm	20 Nos
3	6 mm	20 Nos
4	8 mm	20 Nos
5	10 mm	20 Nos



Sl.No.	Product	Unit /box
Versa Quill Patch		
1	3 mm	20 Nos
2	4.5 mm	20 Nos
3	6 mm	20 Nos
4	8 mm	20 Nos
5	10 mm	20 Nos




Sl.No.	Product	Unit /box
Strings		
1	8" String - Black / Brown / Orange Heavy Duty	25
2	4" String – Black / Brown / Orange Heavy Duty	50
3	8" String - Black / Brown / Orange Economy	25
4	4"String - Black / Brown / Orange Economy	50



KWIK SEAL BIAS

Sl.No.	Product	Unit /box
1	13 mm	10
2	20 mm	10
3	25 mm	8



CEMENTS AND MOUNTING PASTE

Kwik Klean

Dissolves lubricants and contaminants, removes excess buffing dust and provides a clean surface for maximum adhesion.



Kwik sol

All-purpose chemical cement is used with tire and tube patches.

Kwik Fast Dry Cement

Chemical cement used for fast vulcanizing process for tire and tube patches.



Kwik HD Blue

Heavy Duty Cement for use with large size patches for extra adhesion.

Kwik HD Blue +

Specially formulated repair cement for large tyre patches. This formula works well with single coat coverage when applied in large bias or radial repairs in tubeless or tube-type tyres.



Kwik HD Green

This formula works well with single coat coverage when applied in large bias or radial repairs in tubeless or tube type tyres.



Kwik Bead Sealer

Forms an airtight seal between the tire and rim, reducing the bead leak.

Kwik Repair Sealer

Used to restore the air impermeability of an over buffed or damaged inner liner.



Kwik Brown Liquid Patch

Specially formulated repair sealer providing excellent air retention to the over-buffed area after repair.

Kwik Black Vulcanizing Cement

Ideal for retreading and hot repairing, having high tack characteristics.



Kwik Tyre Mounting Paste with Rust Inhibitors

Lubricates the bead area when mounting and demounting tires. The chance of damaging the bead or tube during the mounting procedure is reduced with the use of this paste. Protects tyres and rim flange, low force and minimal time required, low material consumption & low machine wear.



Kwik Tyre Mounting Compound With Rust Inhibitors

Protects tyres and rim flange, low force and minimal time required, low material consumption & low machine wear.

Kwik A & B Putty Compound

A & B Compound can be used for section repairing tires as well filling damages in Nail Hole and Pin Hole Below 10 MM Injury & also Minorly Weather Crack and Flow Crack.



KWIK CEMENTS

Sl.No.	Product	Qty in ml	Units/box
1	KWIKSOL TUBE	20	200
2	KWIKSOL TUBE	60	200
3	KWIKSOL TUBE	100	200
3	KWIKSOL TIN WITH BRUSH	250	32
4	KWIKSOL TIN WITH BRUSH	1000	10
5	KWIK FAST DRY CEMENT TIN WITH BRUSH	250	32
6	KWIK FAST DRY CEMENT TIN WITH BRUSH	1000	10
7	KWIK HD BLUE TIN WITH BRUSH	250	32
8	KWIK HD BLUE TIN WITH BRUSH	1000	10
9	KWIK HD BLUE + TIN WITH BRUSH	250	32
10	KWIK HD BLUE + TIN WITH BRUSH	1000	10
11	KWIK HD GREEN	200	32
12	KWIK BEAD SEALER TIN WITH BRUSH	250	32
13	KWIK BEAD SEALER TIN WITH BRUSH	1000	10
14	KWIK REPAIR SEALER TIN WITH BRUSH	250	32
15	KWIK REPAIR SEALER TIN WITH BRUSH	1000	10
16	KWIK REPAIR SEALER – BROWN THICK	250	32
17	KWIK REPAIR SEALER – BROWN THICK	500	16
18	KWIK REPAIR SEALER – BLACK THICK	250	32
19	KWIK REPAIR SEALER – BLACK THICK	500	16
20	KWIK BLACK VULCANIZING CEMENT	1000	10
21	KWIK BLACK VULCANIZING CEMENT	250	32
Sl.No.	Product	Qty in Kgs	Units/box
22	KWIK TYRE MOUNTING PASTE	1/5/10	24/4/2
23	KWIK TYRE MOUNTING COMPOUND	1/5/10	24/4/2

GUMS, ROPE RUBBER AND CORD FABRIC

Bonding Gum

High-quality bonding gum made from superior polymer formulated for enhanced tackiness and prolonged shelf life.



Rope Rubber

It is a filling compound for the repair and retreading process.

Cord Fabric

Use to build reinforced repairs to tires, conveyor belting and other types of fabric-reinforced rubber goods. High tensile-strength tire cord calendered with high-quality skim compound to a uniform gauge.



SV Blue Gum

Cushion gum for laminating repair patches in combination with HD Blue Cement. In case the innerliner has been removed or if the cord is buffed /exposed and if the buffed surfaces are uneven for OTR/EM tyre repairs this is recommended.

Fast Cure Gum

Fast Cure Gum is an uncured compound for an undertread bonding gum to vulcanize the precure tread to the casing. It is also use in filling the skive on section repairs to Truck, Farm,Industrial, and OTR tires, both Radial and Bias construction. It is intended to be used only in Hot vulcanization systems with a minimum operating temperature of 100° C. *5 kg Roll - 4 Nos/Box



O RINGS AND L RINGS



O Rings










L Rings

TRUCK VALVE PATCHES

Replacement valve spuds utilize the same proprietary cushion gum and chemical vulcanization process. Made from the highest quality materials to perform a permanent repair.



WORKHARD GLOVES

Sl.No.	Brand	Model	Colour	Image
1	WORKHARD	AURA	BLACK	
2	WORKHARD	AURA	RED	
3	WORKHARD	ASTA	BLACK	
4	WORKHARD	ASTA	RED	
5	WORKHARD	SIERRA	GREEN	
6	WORKHARD	SIERRA	RED	
7	WORKHARD	SIERRA	BLACK	

ACCESSORIES



Carbide Cutters



Envelopes and
Curing Bags



Tyre Repair Knives



Tubeless Tire
Snap-In Valves



Extruder Gun



Stitchers for
Tyre Repairs



Tyre
Regroovers



1	Tyre Paste Brush
2	Tyre Paste Brush
3	Wire brush with plastic handle
4	Tyre Paste Brush
5	Tyre Paste Brush
6	Wire brush wheel, dia 2 1/2" width 3/4" arbour 8mm
7	Wire brush wheel twisted, dia 2 1/2" width 3/4" arbour 6mm
8	Wire brush with wooden handle
9	Tyre Marking Crayon Tyre Marking Crayon white



Four wheeler - Puncture kit



Two wheeler - Puncture kit



Wheel Balancing Weights



Buffing Rasps



Buffing Blades



Pneumatic Buffers

Spotters





Kwik PATCH

myers
INDUSTRIES



Call
044 22501202



Website
www.kwikpatch.com



Mail
sales@kwikpatch.com



LinkedIn
Kwik Patch Private Ltd.